






The Sub undermount basin collection comprises of timeless designs, which can be adapted to a range of bathroom settings. From the sharp lines of the rectange basin to the smooth edges of the soft square, the Sub basins will enhance any daily bathroom routine to a luxurious feeling. The design can be further refined by pairing the basin with a solid surface top for a seamless design.

Manufactured from solid surface it has a smooth matt finish that is exceptionally hard wearing and durable.

Each Sub basin is supplied with a chrome pop up plug and waste, a white solid surface cap option is available.



Dimensions are shown in millimetres. Due to the handcrafted nature of Omvivo products measurements are subject to a +/- 5mm manufacturing tolerance



# SUB

# UNDERMOUNT BASINS

### Smooth Square

SPECIFICATIONS Finishes:

Material:
Overflow:
Tap Holes:
Waste Size:
Waste Supplied:
Weight:
Bowl Capacity:

#### Rectangle

**SPECIFICATIONS** Finishes:


Material:	Matt Solid surface
Overflow:	Yes
Tap Holes:	No
Waste Size:	32mm
Waste Supplied:	Yes - 32/40mm with chrome pop-up waste (white solid surface cap option available)
Weight:	7.7kg
Bowl Capacity:	10L




Matt Solid surface
Yes
No
32mm
Yes - 32/40mm with chrome pop-up waste (white solid surface cap option available)
4.6kg

6


6L




Side View



Top View 493



Side View





# Stadium

## SPECIFICATIONS Finishes:



Material:	Matt Solid surface
Overflow:	Yes
Tap Holes:	No
Waste Size:	32mm
Waste Supplied:	Yes - 32/40mm with chrome pop-up waste (white solid surface cap option available)
Weight:	6.7kg
Bowl Capacity:	9L





Dimensions are shown in millimetres. Due to the handcrafted nature of Omvivo products measurements are subject to a +/- 5mm manufacturing tolerance.

P: 03 9339 8130 E: info@omvivo.com w: www.omvivo.com



## Cabinet selection:

Undermount basins can be paired with a Ritmo vanity, in centred, offset left/right or double basin configurations. Please refer to the table below for sizes of vanities and bowl configurations.

CABINET	BOWL POSITION	BENCHTOP HEIGHT		SUB UNDERMOU	NT BASINS				
		I ILIGITI	ROUND	SMOOTH SQUARE	RECTANGLE	STADIUM			
RITMO									
820	CNT		Y	Y	Y	Y			
1000	CNT	12mm (MIN)	Y	Y	Y	Y			
1200	CNT		Y	Y	Y	Y			
1200	OFFSET		Y	Y	Х	Х			
1200	DBL		Y	Y	Х	Х			
1400	OFFSET		Y	Y	Y	Y			
1400	DBL		Y	Y	Y	Y			

